

Лабораторные рокеры 35 EZ, ProBlot

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: aqd@nt-rt.ru || сайт: <https://labnet.nt-rt.ru/>

ProBlot™ Rocker 25 and 25XL

The Labnet compact rockers, ProBlot 25 and 25XL, are ideal for staining, hybridization, and general mixing. Their basic design and economical price makes them a great value for any laboratory.

Rocking speed is adjustable to provide the gentle motion required for staining fragile gels as well as the more vigorous action necessary for washing blots. The rocking movement is fixed at 7°.

The platform surfaces are covered with non-slip rubber pads to prevent sample containers from moving during operation. Elastic tie downs are available to secure bags, boxes, tubes and other containers in place. The ProBlot 25 platform measures 26 x 20 cm, while the ProBlot 25XL platform is significantly larger at 30 x 30 cm. For increasing the work area without sacrificing valuable bench space, double platform models are available.

- ▶ Can be used safely in temperature controlled environments up to 65°C
- ▶ Low profile and compact size make them perfect for use in incubators



S2025-D-B



S2025-XLD-B

Specifications

Speed range	5 to 120 tilts/min.
Maximum load	11 lbs. (5 kg)
Timer	0 to 2 hrs., or continuous
Motion	Rocking
Tilt range	Fixed 7°
Clearance between platforms	3.5 in. (9 cm)
Ambient operating range	5°C to 40°C, up to 85% RH, non-condensing
Platform dimensions (W x D)	
ProBlot 25	11.4 x 8 in. (28.9 x 20.3 cm)
ProBlot 25XL	11.8 x 11.8 in. (30 x 30 cm)
Dimensions (W x D x H)	
ProBlot 25	11.4 x 12.6 x 5.7 in. (29 x 32 x 14.5 cm)
ProBlot 25XL	12.8 x 14.2 x 5.7 in. (32.5 x 36 x 14.5 cm)
Weight	11.7 lbs. (5.3 kg)

Ordering Information

Cat. No.	Description
S2025-B	ProBlot Rocker 25, single platform, 120V
S2025-B-230V	ProBlot Rocker 25, single platform, 230V, EU and UK plug
S2025-D-B	ProBlot Rocker 25D, double platform, 120V
S2025-D-B-230V	ProBlot Rocker 25D, double platform, 230V, EU and UK plug
S2025-XL-B	ProBlot Rocker 25XL, large single platform, 120V
S2025-XL-B-230V	ProBlot Rocker 25XL, large single platform, 230V, EU and UK plug
S2025-XLD-B	ProBlot Rocker 25XLD, large double platform, 120V
S2025-XLD-B-230V	ProBlot Rocker 25XLD, large double platform, 230V, EU and UK plug

Accessories

Cat. No.	Description	Qty/Cs
S2025-T	Elastic tie downs	4

Rocker 35 EZ

The Rocker 35 EZ is the next generation large capacity rocker. This upgraded Rocker 35 is designed for durability in laboratories requiring a large platform area and precise control over rocking parameters. It is backed by a 5-year warranty.

Both speed and time are easily selectable and the analog control has been upgraded to display discreet values. The tilt is now easily adjustable with knob on the side. This system can handle up to 11 pounds or 5 kg of load so a double platform can be fully loaded without any variation to speed.

The unit comes in both single and dual platform models and includes a ribbed non-slip rubber mat to keep containers in place. This unit is also compatible with our sticky mat (I-5240) for applications requiring greater sample adhesion to the platform.



Specifications

Speed range	10 to 120 rpm
Maximum load	11 lbs. (5 kg)
Timer	10 to 120 min. or continuous
Tilt range	Adjustable, $\pm 20^\circ$
Ambient operating range	4°C to 65°C, up to 85% RH, non-condensing
Dimensions (W x D x H)	
Single platform	14.2 x 14.2 x 6.7 in. (36 x 36 x 17 cm)
Double platform	14.2 x 14.2 x 10.2 in. (36 x 36 x 26 cm)
Weight	
Single platform	14.3 lbs. (6.5 kg)
Double platform	17.2 lb. (7.8 kg)

Ordering Information

Cat. No.	Description
S2035-E	Rocker 35 EZ, single platform, 120V
S2035-E-230V	Rocker 35 EZ, single platform, 230V, EU and UK plug
S2035-DE	Rocker 35 EZ, double platform, 120V
S2035-DE-230V	Rocker 35 EZ, double platform, 230V, EU and UK plug

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: aqd@nt-rt.ru || сайт: <https://labnet.nt-rt.ru/>